



ENTEGRA

COACH®

#WEAREENTEGRA



CORNERSTONE PG 3-6

ANTHEM PG 7-10

ASPIRE PG 11-14

INSIGNIA PG 15-18

THE QUIETEST RIDING, BEST HANDLING COACH ON THE MARKET TODAY. PERIOD.

HERE'S WHY:

1. SPARTAN[®] CHASSIS

With more than 30 years of custom chassis manufacturing, Spartan gives us the industry's premier foundation.

2. EXCLUSIVE X-BRIDGE[™] FRAME

Our exclusive X-Bridge frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension-not the chassis-absorbs road shock and vibration.

3. FIVE-INCH-THICK FLOORS

The industry's thickest floors starts with several layers of plywood for dramatic reductions in energy transmission, noise and vibration. Cabinets are screwed directly to the wood and tile is laid precisely around them; other manufacturers place cabinets on top of the tile, causing squeaks or cracking.

4. RESIDENTIAL-STYLE WALLS AND ROOF

Our roof combines crowned aluminum truss rafters on 16-inch centers with Flexfoil[®], fiberglass insulation and ³/₈-inch plywood decking. Our walls, along with our front and rear caps, feature tucked-and-glued batting insulation-the same kind of fiberglass insulation found in sound-absorbing theater rooms.

5. MONOTUBE GAS PRESSURE SHOCKS

Designed specifically for luxury motorcoaches by Bilstein®, these shocks have 228% more surface area than twin-tube shocks for greater sensitivity and control. They virtually eliminate excessive sway and self-adjust so you don't have to change settings.



6. MICHELIN® MOTORHOME TIRES

One of the most trusted names in the business, Michelin's motorhome tires are designed for unparalleled fuel efficiency, high mileage and precise load control.

7. DUAL DIESEL EXHAUST FLUID (DEF) FILL PORTS

DEF fill ports on both sides of the coach for convenience (on most floorplans).



CHASSIS

Spartan[®] K3 raised rail chassis Cummins[®] X15 turbocharged 605HP engine 1.950-lb, ft, torque at 1.200 RPM Allison[®] 4000 MH 6-speed transmission 1.500 watt engine block heater Reyco[®] Granning[®] rear suspension Reyco Granning IFS independent 20,000-lb. front axle and air suspension Dana rear axle 20,000-lb., tag axle 14,000-lb. 4.30 rear axle ratio Reyco Granning Passive Steer Tag Axle and Tag axle air dump 20,000-lb. hitch with 7/4-pin plug Hadley® air leveling system with auxiliary air compressor Side-mounted radiator All-wheel ABS disc brakes Three-stage engine brake Automatic traction control Bilstein® shocks - 60MM front & 46MM on rear/tag 150-gal. fuel tank (dual fill) 15-gal DEF tank (dual fill) Michelin® 365/70R 22.5" tires (front) and 315/80R 22.5" tires (rear) 55-degree turning radius Chassis batteries 2-12 volt 210-amp alternator Remote air connection Equalizer hydraulic automatic leveling system Safehaul tow air brake system Tire pressure monitor system

CONSTRUCTION

X-Bridge[™] frames welded into chassis frame Insulated, enclosed, thermostat controlled storage area Insulation with reflective Flexfoil[®] floor (R-33), roof

- (R-24), sidewalls (R-16), front and rear caps (R-22) $2" \times 4"$ floor truss construction
- 3/4" 7-ply plywood main floor decking
- Aluma-Tru[™] Superstructure construction on 12"-16" centers
- 2-1/2" exterior wall with welded tubular aluminum
- construction and high-gloss, gel-coat fiberglass Flush-mounted electric-powered slideout rooms with
- VegaTouch control
- One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

- Aqua-Hot[®] 450 diesel hydronic water and heating system with in-floor heat throughout and engine preheat 15,000-BTU low profile A/Cs (3) with heat pumps
- and condensation drain system 50-amp power cord with electric reel
- Onan[®] 12,500-watt diesel generator with auto gen
- start on powered slide-out tray 3,000 watt pure sine wave inverters (2) L16 AGM batteries (4), (6v/390 amp hrs. ea.)
- Battery boost system
- Premium surge protector transfer switch
- Water hose with electric reel
- Black holding tank sprayer
- Sani-Con[®] Turbo macerator holding tank dump system with electric gate valves & manual back-up system SeeLevel[™] tank monitoring system City and tank water filtration system Winterizing drain system

EXTERIOR

- Executive Bus Armor 10" stainless steel trim Lighted chrome clearance accent 3M[®] front protective film mask LED high and low beam headlights LED fog lights Daytime running lights LED marker lights, turn lights and license plate light LED docking lights LED accent lights on underside of slideout rooms passenger side LED third brake light Lighted grab handle with keypad system Deluxe concealed entry step / Lighted Entegra step Girard[®] power entrance door awning with LED lights Girard Ultra window shades and slide-out awnings Roof mounted Girard Vision dual pitched patio awning w/ LED lights
- Chrome, heated, remote control, side-view Ramco mirrors with blind-spot indicators
- Frameless, tinted, dual-pane, Hehr safety-glass windows 40" Samsung® LED HDTV and Bose® Solo 5 sound bar
- on TV bracket with extend, tilt and swivel arm Exterior utility center, heated and enclosed with
- system monitor panel Power Slideout cargo trays (2)
- Winegard® in-motion satellite dome with prep for
- TRAV'LER[®] satellite dish Winegard Rayzar Automatic powered TV antenna Power engine door with manual override Full-width rear mudflap, with chrome "Cornerstone" nameplate

COCKPIT

Valid 15" digital dash with selector knob Message center and monitoring systems included in Valid digital dash Glass panel, dual 9" touchscreen in-dash infotainment

- center with Rand McNally™ RV navigation, Bluetooth®, Sirius™ XM, AM/FM tuner, integrated camera control, house mode whole coach audio distribution, and integrated VegaTouch coach control Power front sun visors and privacy shade 6-way power, lumbar, air cooled, heated, leather driver and passenger seats with integrated 3-point belt Push button start
- Power flush stepwell cover
- Ultra-Vision[®] one-piece wrap-around tinted windshield Wood-grain, leather-wrapped, tilt and telescoping
- steering wheel with integrated controls for radio, cruise, and wipers
- Molded side consoles
- JBL[®] premium audio sound system with amplifier, speakers and subwoofer
- Power adjustable foot pedals
- "Total Vision" rear camera and digital side cameras Two dual USB ports

INTERIOR

VegaTouch pad system, for complete integration of coach controls Dimmable LED recessed 12V lighting High Gloss 12" x 24" porcelain tile with granite inlay design Carpet on living area slides Aire-Secure[™] travel locks for all pocket doors Power solar day and black out night shades Samsung[®] 50" HDTV Samsung 32" LED HDTV in front overhead Bose SoundTouch 300 sound system Blu-ray[™] player in living area Leather hide-a-bed Stacked washer and drver Central vacuum system In-step storage with pull-out tray LED lit fireplace (45B and 45Y) 2 indoor/outdoor "Ollie" chairs

KITCHEN

Quartz countertops with stainless steel sink and dimmable LED accent lighting Pullout countertop extension with drawers

- Porcelain tile backsplash with glass design inlays and a ceramic border
- Large deep drawer for waste basket with easy access trash chute (trash chute not available in 45F)

Dishwasher with wood raised panel door front Induction cooktop with cover Whirlpool® Gold 1.9 cu. ft. convection microwave oven Whirlpool residential refrigerator with ice maker and water dispenser Maxair® power vent

BEDROOM

Select Comfort® Sleep Number® king size mattress Nightstands with USB ports and solid surface tops Ceiling fan Large cedar-lined wardrobe with automatic lights (automatic light not available in 45F) Samsung 32" LED HDTV Bose Solo 5 sound bar Blu-ray player

BATHROOM

Quartz countertop with integrated sink and LED accent lighting Thetford[®] Tecma china toilets with push button flush (45A, 45F, 45W) Porcelain tiled shower walls and floor with skylight and frameless glass shower door Teak wood shower seat (Not available in 45F) Maxxair Deluxe power vents

SAFETY

Spartan Advanced Protection System equipped with collision mitigation, adaptive cruise control and electronic stability control Security system with glass shatter sensors Porch light and motion sensor security lights Smoke alarm Carbon monoxide alarm Safe Blind spot monitoring system tuned to detect objects within the lane of traffic on either side of the vehicle

OPTIONS

Canadian Standards Leather dinette booth (45A, 45B, 45W and 45Y) Free standing table with 4 chairs driver side (45X) Theater seating with power recliners and fixed center console Winegard TRAV'LER satellite dish - DIRECTV® Winegard TRAV'LER satellite dish - Shaw® Direct Winegard WIFI Extender with 4G/LTE Solar panels (Dual-100 watt) Exterior freezer

CORNERSTONE FLOORPLANS




OPTIONS: B AND C 45A

OPTIONS: B AND D 45B



OPTIONS: C 45F

OPTIONS: B AND C 45W



45X | OPTIONS: A AND C

45Y OPTIONS: B AND D

SPECS & OPTIONS



Floorplan	GVWR (Ibs.)	GCWR (lbs.)	Front GAWR (Ibs.)	Rear GAWR (Ibs.)	Tag GAWR (Ibs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
45A-45Y	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	12' 11"	101"	84"	100	62	41







AZURE



CHASSIS

Spartan[®] K2 raised rail chassis Cummins[®] L turbocharged 450 HP engine 1,250-lb, ft. torque at 1,400 RPM Allison[®] 3000 MH 6-speed transmission 1.000 watt engine block heater Reyco[®] Granning[®] IFS independent 17,000-lb. front axle with air suspension Rear axle 20,000-lb., tag axle 12,000-lb. 4.88 rear axle ratio 15,000-lb. hitch with 7/4-pin plug Tag axle air dump Side-mounted radiator ABS disc brakes on front axle, drum brakes on drive and tag axle Two-stage engine brake Automatic traction control Bilstein[®] shocks- 60MM front & 46MM rear/tag 150-gal. fuel tank (dual fill) 15-gal DEF tank (dual fill) Michelin[®] 315/80R 22.5" tires (front) and 295/80R 22.5" tires (rear) 55-degree turning radius Chassis batteries 2-12 volt 170-amp alternator Remote air connection Hadley[®] air leveling system with auxiliary air compressor Equalizer hydraulic automatic leveling Blind spot monitoring system Safehaul tow air brake system Tire pressure monitor system

CONSTRUCTION

X-Bridge[™] frames welded into chassis frame Insulated, enclosed, thermostat controlled storage area Insulation with reflective Flexfoil[®] floor (R-33), roof

(R-24), sidewalls (R-16), front and rear caps (R-22) 2" x 4" floor truss construction

- 3/4" 7-ply plywood main floor decking
- Aluma-Tru[™] superstructure construction on

12"-16" centers

- 2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass
- Flush-mounted electric-powered slideout rooms with VegaTouch control

One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

Aqua-Hot[®] 450 diesel hydronic water and heating system with in-floor heat throughout and engine preheat

15,000-BTU low profile A/Cs (3) with heat pumps and condensation drain system 50-amp power cord with electric reel Onan[®] 12,500-watt diesel generator with auto gen start on powered slide-out tray 3,000 watt pure sine wave inverters (2) L16 AGM batteries (4), (6v/390 amp hrs. ea.) Premium surge protector transfer switch Water hose with electric reel Black holding tank spraver Macerator holding tank dump system with manual gate valves SeeLevel[™] tank monitoring system City and tank water filtration system Winterizing drain system Battery boost system

EXTERIOR

Premier Bus Armor 8" stainless steel trim Lighted, chrome clearance accent 3M[®] front protective film mask LED high and low beam headlights LED fog lights Daytime running lights LED marker lights, turn lights and license plate light LED docking lights LED accent lights on underside of slideout rooms passenger side LED Third brake light Lighted grab handle with keypad system Girard[®] power entrance door awning with LED lights Girard Ultra window shade awning and Ultra slide-out awnings Roof mounted Girard Vision dual pitched patio awnings with LED lights Chrome, heated, remote control, Ramco side-view mirrors with blind-spot indicators Frameless, tinted, dual-pane, Hehr safety-glass windows 40" Samsung[®] LED HDTV and Bose[®] Solo 5 sound bar on TV bracket with extend, tilt and swivel arm Exterior utility center, heated and enclosed with system monitor panel Manual slideout cargo tray Winegard[®] in-motion, dome, roof-mounted satellite

dish with prep for TRAV'LER® satellite dish Winegard Rayzar automatic powered TV antenna Power engine door with manual override Full-width rear mudflap, with chrome "Anthem" nameplate

COCKPIT

Valid 15" digital dash with selector knob Message center and monitoring systems included in Valid digital dash

6-way power, lumbar, Ultraleather driver and passenger seats with integrated 3-point belt Push button start

Powered flush stepwell cover

Powered front sur visors and privacy shade Ultra-Vision[®] one-piece wrap-around tinted windshield Wood-grain, leather-wrapped, tilt and telescoping steering wheel with integrated controls for radio, cruise, and wipers

Molded side consoles

Glass panel, dual 9" touchscreen in-dash infotainment center with Rand McNally™ RV navigation, Bluetooth®, Sirius XM™, AM/FM tuner, integrated camera control, house mode whole coach audio distribution, and integrated VegaTouch coach control JBL® premium audio sound system with amplifier, speakers and subwoofer Power adjustable foot pedals High definition digital side and rear view cameras Two dual USB ports

INTERIOR

VegaTouch pad system, for complete integration of coach controls Dimmable LED recessed 12V lighting High gloss 8" x 48" porcelain tile floor Carpet on living area slides Power solar day and black out night shades Samsung 50" LED HDTV Samsung 32" LED HDTV in front overhead Bose SoundTouch 300 sound system Blu-ray player in living area Ultraleather hide-a-bed(s) Stacked washer and drver Central vacuum system In-step storage with pull-out tray LED fireplace (44B, 42DEQ) Aire-Secure[™] travel locks for all pocket doors

KITCHEN

Solid surface countertops with stainless steel sink and dimmable LED accent lighting Pullout countertop extension with drawers Porcelain tile backsplash with glass design inlays Large deep drawer for waste basket with easy access trash chute (trash chute not available in 44F) Dishwasher with wood raised panel door front Induction cooktop with cover Whirlpool® Gold 1.9 cu. ft. convection microwave oven Whirlpool esidential refrigerator with ice maker and water dispenser Maxxair® power vent

BEDROOM

Select Comfort $^{\oplus}$ Sleep Number $^{\oplus}$ king size mattress Nightstands with USB ports and solid surface tops Ceiling fan

Large cedar-lined wardrobe with automatic lights (Automatic lights not available in 44F) Samsung 32" LED HDTV in bedroom Bose Solo 5 sound bar in bedroom Blu-ray player

BATHROOM

Solid surface countertops with integrated sink and dimmable LED accent lighting Thetford® Tecma china toilet(s) with push button flush Thetford china toilets with push button flush Porcelain tiled shower wall with skylight Teak wood shower seat (Not available in 44F) Maxxair Deluxe power vent

SAFETY

Security system with glass shatter sensors Porch light and motion sensor security lights Smoke alarm Carbon monoxide alarm Safe Blind spot monitoring system

OPTIONS

Canadian Standards Ultraleather dinette booth (N/A 44F) Theater seating with power recliners and fixed center console Winegard TRAV'LER satellite dish - DIRECTV Winegard TRAV'LER satellite dish - Shaw[®] Direct Winegard WIFI Extender with 4G/LTE Solar panels (Dual-100 watt) Exterior freezer - Dometic

ANTHEM FLOORPLANS



42DEQ | OPTIONS: A AND C

44A | OPTIONS: A AND B






44F | OPTIONS: B



44W | OPTIONS: A AND B









CHASSIS

Spartan[®] K2 raised rail chassis Cummins[®] L9 450 HP engine 1,250-lb, ft, torque at 1,400 RPM Allison[®] 3000 MH 6-speed transmission 1.000 watt engine block heater Revco[®] Granning[®] rear suspension Reyco Granning IFS independent 17,000-lb. front axle with air suspension Rear axle 20,000-lb., tag axle 12,000-lb. (Rear axle 24,000-lb. and no tag on 38M and 40P) 4.88 rear axle ratio 15,000-lb. hitch with 7/4-pin plug, (10,000-lb. hitch on 38M and 40P) Tag axle air dump (Not available on 38M and 40P) Side-mounted radiator ABS disc brakes on front axle, drum brakes on drive and tag axle (ABS disc brakes on front and rear axle on 38M and 40P) Two-stage engine brake Bilstein[®] 46mm shocks 150-gal. fuel tank (100-gal. fuel tank on 38M and 40P) dual fill 15 gallon DEF tank (dual fill except on 38M, 40P, 44R) Michelin® 315/80R 22.5" Tires (Front) 295/80 R 22.5" Tires (Rear) 55-degree turning radius Chassis batteries 2-12 volt 170-amp alternator Remote air connection Equalizer hydraulic automatic leveling Safehaul tow air brake system

CONSTRUCTION

- X-Bridge[™] frames welded into chassis frame Insulated, enclosed, thermostat controlled storage area Insulation with reflective Flexfoil® floor (R-33), roof
- (R-24), sidewalls (R-16), front and rear caps (R-22) $2^{"} \times 4^{"}$ floor truss construction
- 3/4" 7-ply plywood main floor decking
- Aluma-Tru[™] Superstructure construction on 12"-16" centers
- 2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass
- Flush-mounted electric-powered slideout rooms with remote control
- One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

Aqua-Hot® 400 diesel hydronic water and heating system with in-floor heat throughout 15,000-BTU low profile A/Cs (3) with heat pump, and condensation drain system 50-amp power cord with electric reel Onan[®] 10.000-watt diesel generator with auto gen start on slide-out tray Battery boost system 3,000-watt pure sine wave inverter L16 AGM batteries (2), (6v/390 amp hrs. ea.) Surge protector transfer switch Water hose with electric reel Black holding tank spraver Macerator holding tank dump system with manual gate valves SeeLevel[™] tank monitoring system City and tank water filtration system Winterizing drain system

EXTERIOR

- 3M[®] front protective film mask LED low beam headlights Halogen high beam headlights Halogen fog lights Daytime running lights LED marker lights, turn lights and license plate light LED docking lights LED accent lights on underside of slideout room passenger side LED Third brake light Lighted grab handle with keypad system Girard[®] power entrance door awning with LED lights Girard window shade awning and slide-out awnings Roof mounted Girard Vision dual pitched patio awning with LED lights Chrome, heated, remote control, Ramco side-view mirrors with integrated cameras Frameless, dual-pane, tinted, Hehr safety-glass windows 40" Samsung[®] LED HDTV and JBL[®] Bar Studio sound bar on TV bracket with extend, tilt and swivel arm Exterior utility center, heated and enclosed with
- system monitor panel Winegard[®] In-Motion satellite dome with prep for
- TRAV'LER® satellite dish
- Winegard Rayzar Z1 TV antenna Power rear engine door with manual override Full-width rear mudflap, with chrome "Aspire" nameplate

COCKPIT

Powered flush stepwell cover Powered front sun visors and privacy shade Ultra-Vision® one-piece wrap-around tinted windshield 6-way power, lumbar Ultraleather driver and passenger seats with 3-point belt Push button start Tilt and telescoping steering wheel with integrated controls for cruise and wipers Molded side consoles Spartan Message Center with LCD display Dual 9" touchscreen in-dash infotainment center with Rand McNally[™] RV navigation, Bluetooth[®], Sirius XM[™], AM/FM tuner, integrated camera control JBL premium audio sound system with speakers, amplifier, and subwoofer Powered adjustable foot pedals Camera system with side cameras and digital rear camera Two dual USB ports

INTERIOR

Multiplex controlled lighting system Dimmable LED recessed 12V lighting High gloss 12" x 24" porcelain tile floor hand laid in a herringbone pattern Carpet on living area slides Manual solar day and black out night shades Aire-Secure[™] travel locks for all pocket doors Samsung 50" LED HDTV (49" in 38M) Samsung 32" LED HD TV in front overhead Samsung sound bar with wireless subwoofer in living area Blu-ray[™] player in living area Ultraleather hide-a-bed sofa(s) Stacked washer and dryer Central vacuum system In-step storage with pull-out tray

KITCHEN

Solid surface countertops with stainless steel sink and dimmable LED accent lighting Pullout countertop extension with drawers Solid-surface backsplash with tile accent Large deep drawer for waste basket with easy access trash chute (Trash chute not available on 40P and 44R) Induction cooktop with cover Whirlpool® 1.9 cu. ft. convection microwave oven Whirlpool 1.9 cu. ft. convection microwave oven Whirlpool residential refrigerator with ice maker and water dispenser Maxair® power vent

BEDROOM

King size gel memory foam mattress Nightstands with USB ports and solid surface tops Samsung 32" LED HDTV JBL Bar Studio sound bar Blu-Ray Player Ceiling fan Automatic lights in wardrobe

BATHROOM

Solid surface countertops with integrated sink and LED accent lighting Thetford® Tecma china toilets Marble patterned shower with skylight and clear glass shower door Maxair Deluxe power vent

SAFETY

Security system with glass shatter sensors Porch light and motion sensor security lights Smoke alarm Carbon monoxide alarm Safe

OPTIONS

Canadian Standards LED lit fireplace (38M, 44B and 42DEQ) Dishwasher drawer Theater seating with power recliner Winegard TRAV'LER satellite dish - DIRECTV Winegard TRAV'LER satellite dish - Shaw® Direct Solar panels Slideout storage tray Second Girard patio awning Winegard WIFI Extender with 4G/LTE Batteries - 2 additional AGM, 4 total (Not available on 38M and 40P)

ASPIRE FLOORPLANS



FRIDGE

OPTIONS: B

44R

OUTSIDE ENTERTAINMEN CENTER W/ 40" TV O" TV W/ LI

50" W/ TV LIFT


OUTSIDE ENTERTAINMEN CENTER W/ 40° TV

OPTIONS: A AND B

44W

13

SPECS & OPTIONS



Floorplan	GVWR (Ibs.)	GCWR (lbs.)	Front GAWR (Ibs.)	Rear GAWR (Ibs.)	Tag GAWR (Ibs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
38M-40P	41,000	51,000	17,000	24,000	N/A	261"	40' 11"	12' 11"	101"	84"	100	62	41
42DEQ	49,000	64,000	17,000	20,000	12,000	296"	43' 5"	12' 11"	101"	84"	100	62	41
44B, 44R, 44W	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 11"	101"	84"	100	62	41





MARIGOLD



IRIS

TIGER LILLY



CHASSIS

Spartan[®] K2 raised rail chassis Cummins[®] L9 turbocharged 450 HP engine 1,250-lb. ft. torgue at 1,400 RPM (Larger than 40') / Cummins[®] L turbocharged 380 HP engine 1,150-lb. ft. torgue at 1,400 RPM (40' and under) Allison[®] 3000 MH 6-speed transmission 1,000 watt engine block heater Reyco[®] Granning[®] front and rear suspension Front axle I-beam 16,000-lb. wide track Rear axle 20,000-lb., tag axle 12,000-lb. (Larger than 40') / Rear axles 24,000-lb. (40' and under) 4.88 rear axle ratio (Larger than 40') / 4.78 rear axle ratio (Less than 40') 15,000-lb. hitch with 7/4-pin plug (Larger than 40') / 10,000-lb. hitch with 7/4-pin plug (40' and under) Tag axle air dump (Larger than 40') Side-mounted radiator ABS disc brakes on front axle, drum brakes on drive and tag axle (Larger than 40') / ABS disc brakes on front and rear axle (40' and under) Two-stage engine brake Bilstein[®] 46mm shocks 100-gal, fuel tank (dual fill) 15 gallon DEF tank (dual fill 44B & 44W) / 15 gallon DEF tank (passenger side fill) (Less than 40') Michelin® 295/80R 22.5" Tires (Front) 275/80 R 22.5" Tires (Rear) 52 degree turning radius Chassis batteries (2) 12 volt 170-amp alternator Remote air connection Equalizer hydraulic automatic leveling Safehaul tow air brake system (Larger than 40')

CONSTRUCTION

X-Bridge[™] frames welded into chassis frame Insulated, enclosed, thermostat controlled storage area

Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)

- 2" x 4" floor truss construction
- 3/4" 7-ply plywood main floor decking Aluma-Tru[™] Superstructure construction on 12"-16" centers
- 2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass

Flush-mounted electric-powered slideout rooms with remote control

One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

50-gal. propane gas tank

- Aqua-Hot[®] 400-LP hydronic water and heating system with in-floor heat throughout (Larger than 40') / Agua-Hot 250-LP (40' and under)
- 15,000 BTU low profile A/Cs with heat pump, digital thermostat, and roof to ground condensation drain system (3 units in coaches over 40' and 2 units in coaches under 40')
- 50-amp power cord with electric reel
- Onan[®] 10,000-watt diesel generator with auto gen start on slide-out trav
- 3,000-watt pure sine wave inverter
- L16 AGM batteries (2), (6v/390 amp hrs. ea.)
- Battery boost system
- Surge protector transfer switch Black holding tank sprayer
- Macerator holding tank dump system with manual
- gate valves

SeeLevel[™] tank monitoring system City and tank water filtration system Winterizing drain system

EXTERIOR

- 3M[®] front protective film mask Halogen high and low beam headlights Halogen fog lights Daytime running lights LED marker lights, turn lights and license plate light LED docking lights LED accent lights on underside of slideout rooms -Passenger side LED third brake light Lighted grab handle with keypad system Girard[®] power entrance door awning with LED lights Carefree[®] window shade and slide-out awnings Girard Ultra power patio awning with LED lights Heated, remote control, Ramco side-view mirrors with integrated cameras Frameless, dual-pane, tinted, Hehr safety-glass windows
- Exterior 39" Insignia[™] LED HDTV and Insignia sound bar on TV bracket with extend, tilt and swivel arm
- Exterior utility center, heated and enclosed with system monitor panel
- Winegard[®] In-Motion satellite dome with prep for TRAV'LER satellite dish
- Winegard Rayzar Z1 TV antenna
- Full-width rear mudflap, with chrome "Insignia" nameplate

COCKPIT

Powered flush stepwell cover

Powered front sun visors and privacy shade Ultra-Vision® one-piece wrap-around tinted windshield Power adjustable driver and passenger seats with

integrated 3-point lap and shoulder safety belts Push Button Start

Tilt and telescoping steering wheel with integrated controls for cruise and wipers

Spartan Message Center with LCD display 9" touchscreen in-dash infotainment center with

Rand McNally[™] RV navigation, Bluetooth[®], Sirius XM[™], AM/FM tuner, integrated camera control

JBL® premium audio sound system (Larger than 40')/ JBL speakers (40' and under) Powered adjustable foot pedals

Side and rear view cameras Two dual USB ports

INTERIOR

Multiplex controlled lighting system Dimmable LED recessed 12V lighting Hand laid high gloss 12" x 24" porcelain tile floor Manual solar day and black out night shades Insignia 50" LED HDTV Insignia sound bar in living room Aire-Secure[™] travel locks for all pocket doors Blu-ray[®] player in living area Stacked washer and dryer Ultraleather hide-a-bed sofa Carpet on living area slides

KITCHEN

- Solid surface countertops with stainless steel sink and LED accent lighting
- Large deep drawer for waste basket with easy access trash chute (Trash chute N/A in 37MB, 40B2, 40BH & 44R)

Induction cooktop with cover

Whirlpool® Gold 1.9 cu. ft. convection microwave oven Whirlpool residential refrigerator with ice maker and water dispenser

Maxxair[®] power vent

BEDROOM

Nightstands with USB ports and solid surface tops Insignia 32" LED HDTV in bedroom Insignia 39" LED HDTV in bedroom (37MB) Ceiling fan

BATHROOM

- Solid surface countertop(s) with integrated sink and LED accent lighting Thetford® Tecma china toilets (Larger than 40')
- Thetford Aqua-Magic china toilet with foot flush (40' and under)
- One-piece fiberalass shower with skylight
- Maxxair power vent

SAFETY

Porch light and security lights Smoke alarm Carbon monoxide alarm Propane alarm

OPTIONS

Canadian standards Dinette booth (40B2, 40BH, 44B & 44W) Theater seating w/power recliners and fixed center console Front overhead TV Winegard TRAV'LER satellite dish - DIRECTV Winegard TRAV'LER satellite dish - Shaw® Direct Winegard WIFI Extender with 4G/LTE Slideout storage tray Central vacuum system Batteries - 2 additional AGM, 4 total (N/A on 40B2) LED lit Fireplace (37MB & 44B)

INSIGNIA FLOORPLANS



OPTIONS: A AND B AND D 40B2










OPTIONS: A AND B 44W





AUTUMN BERRY

MOONLIT BEACH





ENTEGRA COACH, INC., P.O. BOX 460, MIDDLEBURY, IN 46540

WWW.ENTEGRACOACH.COM

Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorcoach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Axle Weight Rating (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorcoach used as a tow vehicle and the attached towed vehicle.

Entegra Coach, Inc. I P.O. Box 460 I Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.entegracoach.com is the latest available at the time of publication approval. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. ENTEGRA COACH, JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in U.S.A. 27K 07/18 © 2018 Entegra Coach, Inc. 274887

EXPERIENCE LIFE WWW.lamesarv.com 800-496-8778

