


# THE REBIRTH of AN ICON

The subject of an exhaustive transformation, the 2019 Dutch Star is wellappointed and brimming with cosmopolitan influence, from the polished porcelain tile and glass and marble backsplash, to full hardwood window treatments and pocket doors with reeded glass inserts. And for those looking to achieve a deeper, more luxe tone, Sable maple cabinetry with an available high-gloss finish exhibits a dynamic look that is equal parts rich and vibrant.

### SUPER-POLISHED COUNTERTOPS





Velocity full-paint Masterpiece<sup>™</sup> finish

### THE BEST made BETTER

### FLOOR PLANS

12 available at 37, 40, and 43 feet

#### HIGHLIGHTS & AMENITIES

Freightliner<sup>®</sup> XCR or Spartan<sup>®</sup> K2\* tag axle chassis (\*40- and 43-foot floor plans only) Cummins<sup>®</sup> diesel engine with 450 horsepower Comfort Drive<sup>™</sup> adaptable steering with Passive Steer\* technology (\*40- and 43-foot floor plans only) Power-locking baggage doors, keyless entry system Girard<sup>®</sup> G2000 power side awning with wind sensor, LED lighting



Floor plan 4328 with Velocity décor

### SO MANY WAYS to RELAX

Set below a carved Feature Ceiling and above porcelain tile floors that extend into each and every slideout, the all-new Dutch Star offers more furniture arrangements than ever before. Take floor plan 4328, which presents a set of recliners that can sit opposite a jackknife or Fold-N-Tumble sofa. Two storage ottomans and a bunk sofa can also be had with select layouts. Either way, you're surrounded by a carved backlit fascia and wide double-pane windows.

RECLINERS AND LAMPSTAND





Porcelain plank tile flooring

Arrive and unwind

# EMBRACE the STAR TREATMENT

Wrapped in the same Ultrafabrics<sup>®</sup> surfaces found throughout the cabin, Dutch Star grants you poweradjustable captain's chairs, including a queen-sized passenger seat. Inches away, a modern cockpit houses a digital instrument panel and wireless charging pad, while Rand McNally<sup>®</sup> navigation and a 360-degree camera system are available to join a standard side and rearview display. In the living area, you will find either a retractable or overhead-mounted Sony<sup>®</sup> 4K TV with a Blu-ray player and Bose<sup>®</sup> soundbar.





# SATISFY your CRAVING

Hungry to find your dream kitchen? Look no further than floor plan 4328, home of a unique angled galley that hosts a full-size pantry, countertop appliance garage, and a standard Hide-A-Leaf dinette or available desk/dinette combo, as shown. Every Dutch Star features hardwood cabinetry made inhouse, along with a stainless steel double-bowl sink. Standard appliances include a Whirlpool® Frenchdoor refrigerator and a recessed gas cooktop that is upgradable to an induction version, in addition to an optional Fisher & Paykel® dishwasher.



#### SABLE MAPLE HIGH-GLOSS HARDWOOD CABINETRY





# TO each THEIR OWN

Lavishly appointed and meticulously decorated, the Dutch Star master suite can host a king bed and an available Sleep Number® adjustable mattress, which enables you and yours to select separate comfort settings, while dual nightstands present each of you with extra storage. Select floor plan 4328 to have two shirt wardrobes accompany five hardwood dresser drawers accentuated with raised panels and black chrome handles.

#### LED TV WITH BLU-RAY PLAYER




SPACIOUS TWIN VANITY

Refreshingly graceful

# FORM FUSED with FUNCTION

One of nine bath-and-a-half layouts offered for 2019, floor plan 4328 boasts a storage-packed half-bath equipped with a medicine cabinet and vessel sink. But the master space is where you will find the most indulgent amenities like a raised Cathedral Ceiling and an expansive rear wardrobe with room for an available Whirlpool® washer and dryer. Select floor plans host showers as large as 50"x 34", with all sizes enhanced by maintenancefree walls and a fresh water conservation system.





ma Genfold to stand



# STYLING with SOUL

Breathe new life into our best-selling model by crafting a diesel motor coach that is bold, modern, and distinct. That was our goal in creating the allnew 2019 Dutch Star, a leading-edge motorhome that raises the bar on its competition. Fresh styling cues include a seamless full-paint grille, angled headlights, and side-mounted LED clearance lights.

### LED TAILLIGHTS


evad Jutch Sta Take

# RIDE upon A STAR

The 2019 Dutch Star shines brighter than ever before, sporting a completely redesigned exterior capable of donning one of three all-new versions of our Masterpiece® paint finish. And while 40- and 43-foot floor plans are available with your choice of a Freightliner® chassis with V-Ride® or Spartan® chassis with Safe Haul,<sup>™</sup> every Dutch Star is strengthened by our exclusive STAR Foundation. What's more, power for an optional exterior entertainment center and pullout freezer comes from a Cummins® Quiet Series diesel generator.



2015 Toffee décor shown



### ROAM without COMPROMISE

With extras like an electric fireplace set below a retractable Sony<sup>®</sup> 4K TV, Ultrafabrics<sup>®</sup>-covered furniture, full-tile slideouts, and an available Fisher & Paykel<sup>®</sup> dishwasher, Dutch Star 4311 solidifies its position as the world's most luxurious fully accessible motor coach. What's more, a standard power-adjustable kitchen table can be positioned in front of bench seat or buffet dinette, while a roll-in shower, lowered switches and appliances, and widened aisleways all come standard.



4311			
Length	43'09"	Grey Tank	65 gal.
Width	101.5″	Sewage Tank	45 gal.
App. Overall Height	13'00"	Water Tank	105 gal.
Interior Width	95.5″	Propane Tank	22 gal.
Interior Height	83″	Furnace	50,000 btu

### BRAUNABILITY® POWER LIFT

READY FOR any OCCASION

- Floor plan 4328

Fitted with a full-wall extension on the off-door side, floor plan 4328 is a distinct yet practical layout with plentiful seating and a vast kitchen supplied with extra drawer and pantry storage. The master suite is positioned for privacy, with a reeded-glass pocket door separating the bedroom from the rest of the cabin. In the rear master bath, you will find a 40"x 32" glass-door shower and a full-wall rear wardrobe.

# THE BEST of BOTH WORLDS

Weaving together an elaborate modern design palette with the traditional look provided by handcrafted cabinetry and various hardwood accents, Velocity décor showcases both layered ikat motif and diamond trellis fabric textures. Fabrics mesh gold, alabaster, and graphite accents for a look that blends seamlessly with the rest of the cabin.

Velocity décor.

# EXTERIOR and INTERIOR DÉCOR



COBBLESTONE EXTERIOR
Awning Color: Charcoal Tweed



a. Furniture/Fabric b. Flooring c. Counter Top



SEAPEARL INTERIOR a. Furniture/Fabric b. Flooring c. Counter Top



SEAPEARL EXTERIOR Awning Color: Linen Tweed




VELOCITY EXTERIOR Awning Color: Charcoal Tweed





VELOCITY INTERIOR a. Furniture/Fabric b. Flooring c. Counter Top









\*Available in High Gloss or Matte Finish

# DUTCH STAR



Length: 37' 11"

3717		
Length	37'11"	
Width	101.5″	
App. Overall He	ight 12'10"	37' 11"
Interior Width	95.5″	37'
Interior Height	83″	-ength:
Grey Tank	65 gal.	Len
Sewage Tank	45 gal.	
Water Tank	105 gal.	
Propane Tank	22 gal.	
Furnace	50,000 btu	



### 3736

Length	37'11"
Width	101.5″
App. Overall He	eight 12'10"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu



### 4002

Length	40'09"
Width	101.5″
App. Overall He	eight 13'00"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

# FLOOR PLANS



### 4018

Length	40'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83"
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

Length: 40' 09"



### 4054

Length	40'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83"
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

# Length: 40'09"


# DUTCH STAR



### 4310

43'09"
101.5″
13'00"
95.5″
83″
65 gal.
45 gal.
105 gal.
22 gal.
85,000 btu

Length: 43' 09"



### 4326

Length	43'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83"
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

# FLOOR PLANS



### 4328

Length	43'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

Length: 43′ 09″



Length	43'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

# DUTCH STAR



Length: 43'09"

### 4363

Length	43'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu

Length: 43' 09"



### 4369

Length	43'09"
Width	101.5″
App. Overall Height	13'00"
Interior Width	95.5″
Interior Height	83″
Grey Tank	65 gal.
Sewage Tank	45 gal.
Water Tank	105 gal.
Propane Tank	22 gal.
Furnace	50,000 btu




# QUALITY YOU CAN FEEL

Like a fine home, the 2019 Dutch Star is framed 16 inches on center, and is covered by a fiberglass roof with walkable decking and an integrated gutter rail.

#### FREIGHTLINER

### BASEMENT

Cargo Liner 3/8" Floor Decking 1 1/4" Bead Foam Galvanized Sheeting (Prevents Distortion)



ENGINE HP	AXLE RATIO	FUEL CAP.	WHEEL BASE	FRONT GAWR	REAR GAWR	TAG GAWR	GVWR	GCWR	APP. UVW	APP. NCC
450	4.78	100 gal.	242	15200 lbs.	24000 lbs.	n/a	39200 lbs.	49200 lbs.	34000 lbs.	5200 lbs.
450	4.78	100 gal.	242	15200 lbs.	24000 lbs.	n/a	39200 lbs.	49200 lbs.	34500 lbs.	4700 lbs.
450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	38100 lbs.	10900 lbs.
450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	37800 lbs.	11200 lbs.
450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	36400 lbs.	12600 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40600 lbs.	10400 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	38500 lbs.	12500 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40700 lbs.	10300 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40600 lbs.	10400 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40300 lbs.	10700 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40700 lbs.	10300 lbs.
450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40700 lbs.	10300 lbs.
	450 450 450 450 450 450 450 450 450 450	4504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.784504.78	4504.78100 gal.4504.78100 gal.4504.78100 gal.4504.78100 gal.4504.78100 gal.4504.78150 gal.	4504.78100 gal.2424504.78100 gal.2424504.78100 gal.252+TAG4504.78100 gal.252+TAG4504.78100 gal.252+TAG4504.78100 gal.252+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG4504.78150 gal.288+TAG	4504.78100 gal.24215200 lbs.4504.78100 gal.24215200 lbs.4504.78100 gal.252+TAG17000 lbs.4504.78100 gal.252+TAG17000 lbs.4504.78100 gal.252+TAG17000 lbs.4504.78100 gal.252+TAG17000 lbs.4504.78150 gal.288+TAG19000 lbs.	4504.78100 gal.24215200 lbs.24000 lbs.4504.78100 gal.24215200 lbs.24000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.	4504.78100 gal.24215200 lbs.24000 lbs.n/a4504.78100 gal.24215200 lbs.24000 lbs.n/a4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.4504.78150 gal.288+TAG19000 lbs.	4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.4504.78100 gal.252+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.4504.78150 gal.288+TAG<	4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs. </td <td>4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.34000 lbs.4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.34500 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.38100 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.38100 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.37800 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.36400 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.38500 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.38500 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG190</td>	4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.34000 lbs.4504.78100 gal.24215200 lbs.24000 lbs.n/a39200 lbs.49200 lbs.34500 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.38100 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.38100 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.37800 lbs.4504.78100 gal.252+TAG17000 lbs.20000 lbs.12000 lbs.49000 lbs.64000 lbs.36400 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.38500 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.38500 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG19000 lbs.20000 lbs.12000 lbs.51000 lbs.66000 lbs.40600 lbs.4504.78150 gal.288+TAG190

#### SPARTAN

FLOOR PLAN	ENGINE HP	AXLE RATIO	FUEL CAP.	WHEEL BASE	FRONT GAWR	REAR GAWR	TAG GAWR	GVWR	GCWR	APP. UVW	APP. NCC
4002	450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	37700 lbs.	11300 lbs.
4018	450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	37700 lbs.	11300 lbs.
4054	450	4.78	100 gal.	252+TAG	17000 lbs.	20000 lbs.	12000 lbs.	49000 lbs.	64000 lbs.	36800 lbs.	12200 lbs.
4310	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40800 lbs.	10200 lbs.
4311	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	38600 lbs.	12400 lbs.
4326	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40600 lbs.	10400 lbs.
4328	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40500 lbs.	10500 lbs.
4362	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40400 lbs.	10600 lbs.
4363	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40600 lbs.	10400 lbs.
4369	450	4.78	150 gal.	288+TAG	19000 lbs.	20000 lbs.	12000 lbs.	51000 lbs.	66000 lbs.	40600 lbs.	10400 lbs.

The content in our literature depicts and describes products that are subject to change. For the most recent images and information, please visit NewmarCorp.com.

Lengths, heights, widths and dry weights are approximate. Weight will vary based on optional equipment added to the above base weight.

GAWR: Gross Axle Weight Rating is the maximum permissible weight for an axle.

GVWR: Gross Vehicle Weight Rating is the maximum permissible weight for a fully loaded motor coach.

**GCWR:** Gross Combination Weight Rating is the value specified by the manufacturer of the vehicle as the maximum allowable loaded weight of this motor coach and any towed trailer or towed vehicle.

**UVW:** Unloaded Vehicle Weight is the weight of this motor coach as built at the factory with full fuel, engine oil and coolants. Does not include cargo, fresh water, propane gas or dealer-installed accessories.

**NCC:** Net Carrying Capacity is the maximum weight of all occupants, including the driver, personal belongings, food, fresh water, waste water, propane gas, tools, tongue weight of towed vehicle, dealer-installed accessories, etc., that can be carried by the motor coach.

#### Specifications supplied by the chassis manufacturer.

#### Dutch Star R-Values:

Roof R-Value = 24 Sidewall R-Value = 11 Floor R-Value = 16 Basement R-Value = 4

# FEATURES and OPTIONS





#### **EXTERIOR FEATURES**

Full-Paint Masterpiece Finish™ with Clearcoat Finish and Diamond Shield Protection on Front Cap Convex Chrome Exterior Mirrors with Defrost, Remote Control & Turn Signal Indicators Chrome Power Baggage Door Locks, Keyless Entrance Door with Touch Pad & Doorbell Entrance Door with Automatic Step Rear Hitch for Towing Car Assist Handle at Entrance Door Mud Flaps Rear Protective Tow Guard with Stainless Steel Newmar Name Cutout Undercoating Hydraulic Leveling Jacks Stainless Steel Kick Panel at Entrance Door Hammock Backer Storage Bins in Pegboard Compartment Wheelchair Lift\* OPTIONS Patio Hammock Package Large Storage Tray with Access from One Side Pass Through Storage Tray with Access from Either Side Baggage Door Stainless Steel Trim Kit Flagpole Bracket

#### CONSTRUCTION FEATURES

Fiberglass Roof with Walkable Decking and Integrated Gutter Rail
Gelcoated Fiberglass Exterior Sidewalls, Front and Rear Caps
Aluminum-Frame Sidewalls & Roof Construction, 16" on Center
5/8" Foam Insulation Laminated in Sidewalls & Ceiling
Polar Pak R19 Batten Insulation on Roof
Automatic Mechanical Lock Arms on Non-Hvdraulic Slide-out Rooms – Paddle Style

#### WINDOWS, AWNINGS & VENTS

Frameless Double-Pane Tinted Safety Glass Windows
Fan-Tastic® Vent with Rain Sensor in Kitchen and Bathroom
Hardwood Louvered Cover on Fan-Tastic® Vent in Kitchen
Skylight Above Shower*
Girard G2000 Power Side Awning with Wind Sensor, Remote Control & LED Lights
Dometic Slideout Covers & Power Entrance Door Awning with LED Lights
One Piece Tinted Windshield



Driver Side Powe	r Window
OPTIONS	
Additional Girarc	G2000 Side Awning on Door Side
Girard Package-1 Window Awning	wo Nova Side Awnings, Slideout Covers, Entrance Door & Power s
Bunk Windows	
Kitchen Window	
Two Nova Side A	wnings
	Vindow Side Awning Package-1-Bedroom, 1-Off Door Side Living ide Living Room

#### **CHASSIS FEATURES**

Freightliner XCR Chassis with 450Hp Cummins L9 Engine on 37' Floor Plan
Freightliner® V-Ride Drive Axle Suspension
Aluminum Wheels
Electronic Chassis Information Center in Dash
Cruise Control
Comfort Drive™ Steering with Power Column & Adjustable Control
Manual Tilt/Telescope Steering Wheel with VIP Smart Wheel
Recessed Fuel Fills with Crossover to Fill from Either Side
Back-Up Alarm
Anti-Lock Braking System
Chassis Battery Disconnect
OPTIONS
Freightliner® Tag Axle 450Hp on 40′-43′ Floor Plans
Spartan® K2 Tag Axle 450Hp on 40′-43′ Floor Plans with 5 Year Warranty

#### AIR CONDITIONING & HEATING

wo 13.5M Penguin™ Heat Pump Central Air Conditioners	
"hree 15M Penguin Heat Pump Air Conditioners, Energy Management System, a 0 kW Onan Generator on 43' Floor Plans	and
lydronic Zone Diesel Heat with Continuous Hot Water	
Dash Heater and Air Conditioner	
Driver & Passenger Dash Overhead Ventilation System	
Vall Mounted Sensors for Heating and Air Conditioning	
Roof Air Conditioning Drainage System	
OPTIONS	
Electric Radiant Heat Installed Below Main Floor Tile	
wo 15M Penguin™ Heat Pump Air Conditioners	

#### ELECTRICAL FEATURES

(#)

10.0 kW Onan Generator on Slides 43'	
Generator on Manual Slideout Tray	
50 Amp Electrical Service with Flexible Cord with Autom	atic Transfer Switch
6-Volt House Batteries on Pullout Tray	
Battery Disconnect Switch for House Battery	
10 Watt Solar Panel to Charge Chassis Battery	
2000 Watt Modified Sine Inverter	
12 Volt Auxiliary Receptacle on Dashboard	
Emergency Engine Start Switch	
Engine Block Heater Energy Management System	
Exterior Security Lights	
Mid-Ship Side Turn Signals	d Cabinata
LED Lights Recessed in Ceiling and Underneath Overhea	iu Capinets
Accent Lights in Slideout Fascia Trim	
LED Lights in Pantry	
Lights in Exterior Storage Compartments, Controlled by	an Interior Master Switch
LED Lights Installed Under Door Side Slideouts	
Manually Operated Hold-To-Run Slideout Switch	
Automatic Generator Start on Low Battery or Temperatu	ire Setting
Cable TV Connection	
Interior Courtesy Lights	
Lights in Wardrobe	La Alian
Reading Lights at Head of Bed-Dimmable with Adjustab	le Alm
USB Charger at Dinette & Bedroom Nightstand	
USB Outlet at Driver's Console for Driver Use	
USB Outlet at Head of Each Bunk Area*	
Power Rewind Wheel with 50' Cord	
KIB Backlight Switch Plates for Interior Lighting	
KIB Switches for Interior Lights	
Spare Fuses in the Chassis and House Fuse Panels	
Wireless Phone Charger Pad in Driver & Passenger Area	
OPTIONS	
Four Global Solar Flexible 100 Watt Solar Panels on Roof	
Recessed Docking Lights	
Solar Prep Rated with 6 Gauge Wire Run from Roof to H Battery Compartment	ouse
Transfer Switch with Surge Protector	

#### **PLUMBING & BATH FEATURE**

Demand Water System	
Sewage Holding-Tank Rinse	
Dometic® 321 China Bowl Stool or Macerator Stool*	
Sentrel Shower Walls with Glass Door*	
Fold Down Shower Seat	
Water Filter for Entire Unit	
Exterior Shower	
Auto Fill Water Works Compartment	
Power Water Hose Reel	
Systems Monitor Panel	
OPTIONS	
Assist Handle in Shower	
Hot Water Line to Generator Area*	
RV Sanicon System	

#### INTERIOR FEATURES

Designer Feature Ceiling and Cathedral Ceiling with Added Height on Rear Bath Floor Plans*
Tile Floor in Kitchen, Bathroom, Bedroom and Living Area
Interior Assist Handle at Main Entry Door
Quilted Bedspread with Accent Pillows
Decorative Wall Art
Hardwood Raised Panel Interior Passage Doors
Dash Panel Color Coordinated ABS
Power Stepwell Cover
MCD Power Shades
MCD Power Shades at Windshield and Manual Shades at Driver & Passenger Side Windows
Wastebasket in Kitchen Base Under Sink
OPTIONS
Safe Located in Bedroom Wardrobe
MCD Power Window Shades with Remote Control
Shoe Storage Shelves Recessed into Rear Cap Wardrobe

#### **CABINETS & FURNITURE**

Sleep Number R5 Radius Corner Air Mattress

Bermuda Glazed Maple Hardwood Cabinets with Mitered Raised Pa Matte Finish	anel Doors with
Concealed Hinges on Cabinet Doors	
Lifts on Bed Top	
Passenger Seat Work Station	
Super-Polished Solid Surface Countertop in Bathroom and Bedroo	m
Super-Polished Solid Surface Countertop in Kitchen with Undermo Steel Sink & Sink Covers	ounted Stainless
Pullout Pantry Shelves*	
Drawers with Full Extension Ball Bearing Guides	
Flexsteel® Ultrafabrics® Leather Sofa, Driver and Queen Size Passen	nger Seats
Front Seats Six Way Power, Power Lumbar, Recliner and Footrest	
Plush Pillow Top Mattress	
Dinette with Power Adjusted Table, Bench Seat and a Folding Chai Accessible Floor Plan	r on Wheelchair
Extended Rotation Concealed Hinge for Washer/Dryer Cabinet Do	or
Appliance Garage in Kitchen*	
Mesh Cell Phone Holder at Each Bunk Bed*	
Two Ottomans*	
OPTIONS	
Bermuda Glazed Maple Hardwood Cabinets with Mitered Raised Panel	Doors-High Glos
Carmel Glazed Cherry Cabinets with Mitered Raised Panel Doors-M	1atte Finish
Carmel Glazed Cherry Cabinets with Mitered Raised Panel Doors-H	ligh Gloss
Sable Maple Hardwood Cabinets with Mitered Raised Panel Doors-Matte	e Finish
Sable Maple Hardwood Cabinets with Mitered Raised Panel Doors-High	n Gloss
Wicker Glazed Maple Hardwood Cabinets with Mitered Raised Panel Matte Finish	l Doors
Wicker Glazed Maple Hardwood Cabinets with Mitered Raised Pan Doors-High Gloss	el
One Recliner, Fireplace, Televator & Reading Lights*	
Two Recliners with Lampstand & Reading Lights*	
Two Recliners with Reading Lights*	
87" Bunk Sofa*	
87″ Bunk Sofa with End Table*	
Dinette with Roll Away Table, Two Fixed/Two Folding Chairs	

Buffet Dinette with Free Standing Table Buffet Dinette, Two Fixed/Two Folding Chairs on 4311 Combination Desk/Dinette with Roll Away Table, Two Fixed/Two Folding Chairs Combination Desk with Buffet Table, Two Fixed/Two Folding Chairs Combination Desk/Dinette with Free Standing Hidden Leaf Table, Two Fixed/Two -olding Chairs Power Incline Head of Bed with Sleep Number R5 Air Mattress Power Incline Retracting Bed Base with Sleep Number R5 Air Mattress Queen Bed Layout Flexsteel® Euro Booth Dinette with 1-6" Table Leaf Euro Booth Dinette with Extra Leaves, Removable Table Leg, and Two Folding Chairs Sofa/Euro Booth Dinette Ensemble with 6" Table Leaf Sofa/Euro Booth Dinette Ensemble with Extra Leaves, Removable Table Leg & Two -olding Chairs Powered Theater Seating & Reading Lights\* Heated Driver/Passenger Seats Jndermount Double Bowl Solid Surface Kitchen Sink Full Height Bed Base 4311 Bunk Beds to Convert to Wardrobe

#### APPLIANCES

Stainless Steel Convection Microwave with Three Burner Recessed Gas Cooktop Air Horns Whirlpool® 19.7 Refrigerator, 2000 Watt Pure Sine Inverter Prep for Two-Piece Washer/Dryer Flush Gas Cooktop Cover of Matching Countertop Material Fireplace in Living Area\* **OPTIONS** Electrical Prep for Freezer (110 Volt & 12 Volt) without Tray Whirlpool® Two-Piece Stacked Washer/Dryer 30" Convection Microwave in Kitchen Overhead on 4311 All Electric, Flush Mount Induction Cooktop, Whirlpool 19.7 Refrigerator, 2 Extra AGM Batteries, & 2800 Inverter Dishwasher in Drawer with Stainless Steel Front Central Vacuum Tool Kit Dometic 2.8 Cf. Freezer on Pullout Tray in Exterior Compartment

#### AUDIO, VIDEO & ACCESSORIES

ADDIO, VIDEO & ACCESSORIES
Sony® LED TV and Blu-ray Disc Player in Living and Bedroom Areas* (TV Sizes Vary Per Floor Plan)
Sony® 49″ 4K LED TV on Televator in Living Area*
Dash Radio/CD Player with Harman/JBL 180 Watt Sound System and Subwoofer
Rearview Color Monitor System with Audio
Winegard Rayzar Automatic Digital TV Antenna
Satellite Dish Prep on Roof
Two Bedroom Radio Speakers
TV Jack and 110 Volt Recept in Door Side Exterior Storage Compartment
Bluetooth Microphone for Sony® Dash Radio
Bose® Solo 5 Soundbar Sound System
High Definition Component Wiring
Side-View Cameras Displayed onto Rearview Monitor Screen
Glass Dash Instrument Panel
10 Bc Fire Extinguisher, Smoke Detector, Propane and Carbon Monoxide Detector
OPTIONS
SiriusXM® Satellite Radio Capability (Does not include monthly subscription)
Sony® 43″ 4K LED TV in Front Overhead
49″ Televator with Fireplace in Place of Front Overhead TV on 4311
Exterior Entertainment Center in Sidewall with Sony® 43" 4K LED TV and Soundb
Exterior Entertainment Center in Storage Compartment with Sony® 32" LED TV & Soundbar
Omni-Vue™ NS360 Camera System
Winegard Automatic Stationary Dome Satellite
Winegard In Motion Dome Satellite
Winegard Automatic Open Face SWM Satellite
Winegard Automatic Open Face Satellite
Winegard Cellular In Motion WiFi
Two-11" LCD Flip Down Monitor/DVD Player with Headphone*
Dash Radio with Touchscreen Navigation System
Universal Remote Control
WiFiRanger SkyPro LTE Cellular Router
WiFiRanger Sky3 Pack Router
Xite Dash Radio, 6″ Monitor with Rand McNally Navigation
Prep for Ground Tripod Satellite on Off Door Side with A/B Switch

\*Check with dealership on floor plan availability.

The content in our literature depicts and describes products that are subject to change. For the most recent images and information, please visit NewmarCorp.com.

# THE NEWMAR CUSTOMER EXPERIENCE

The Newmar difference goes beyond our industry-leading motor coaches to deliver you with an unrivaled ownership experience.



### QUALITY FROM THE START

Every Newmar is crafted one at a time by folks who have spent an average of eight years building them. And each coach we assemble must undergo more than 1,000 tests and checks before ever leaving our factory.



### CAREFULLY SELECTED DEALERS

We view our dealership network in terms of quality, not quantity. Each of our dealers acts as a partner in our shared mission to exceed your highest of expectations, for an ownership experience that's second to none from day one.

/	$\frown$	
(		

### EVERYTHING IN ONE PLACE

As a Newmar owner, you'll find resources specific to your coach through Newgle, an easy-to-use knowledge base that houses everything from user guides to technical support documents.



### FRIENDS FOR LIFE

Meet fellow owners through the **Newmar Kountry Klub**, a top social club for RV travelers that hosts rallies and other special events throughout the U.S. and Canada.




### SEAMLESS SERVICE

When you join the Newmar family, we pair you with a dedicated service specialist with expert knowledge of your exact coach. Available 24/7, our service specialists guarantee dealer warranty authorizations within four business hours and ship all in-stock parts the same day, free of charge.



### ROCK-SOLID PROTECTION

All models include a one-year/unlimited mileage limited warranty and a five-year, non-transferable structural warranty that covers your coach's superstructure in the event it fails to perform. Ask your Newmar dealer for more details.



### A. ROOF

Fiberglass Roof

Batten Insulation

A/C Ducting

16" on Center Aluminum Rafter Framing

Kraft Paper Vapor Barrier

5/8" Bead Foam

3/16" Panel

Padded Vinyl Overlay

### **B. SIDEWALL**

Interior Wall Panel 5/8" Bead Foam Kraft Paper Vapor Barrier Batten Insulation Composite One-Piece

Gelcoat Exterior Sidewall

Aluminum Framing

### C. FLOOR

Tile

5/8" Floor Decking

Batten Insulation

### 16" on Center Wood Framing

Polyethylene Moisture Barrier

### D. EXTERIOR

13.5 M Penguin<sup>™</sup> Heat Pump Central Air Conditioners

One-Piece Bonded Windshield

Coated Aluminum Wheels

Frameless, Double-Pane, Tinted Safety Glass Windows

Side-Hinged Baggage Doors with Optional Pull-Out Tray

### OUR PARTNERS

Newmar Quality Begins With The Company We Keep

You deserve class-leading performance from names you can trust. That's why we only work with suppliers dedicated to providing our customers with unrivaled quality, comfort, and support.



### BASF

The Coatings division of BASF is a global expert in the development and production of innovative and sustainable OEM and refinish coatings that deliver solutions beyond your imagination.



### INDUSTRIAL FINISHES

Industrial Finishes has supported RV manufacturers for over four decades. The Industrial Finishes paint process delivers uncompromising quality, providing your coach with a true "Masterpiece" finish.



FLEXSTEEL

RECREATION

### FLEXSTEEL RECREATION

Flexsteel Recreation offers innovative furniture designed for a life that rarely sits still. Comfortable and space-saving, Flexsteel furniture ensures your RV is always ready for dining, sleeping, or hosting guests.

### SONY

### SONY

Beautifully designed Sony TVs and Blu-ray players combine to deliver an immersive picture and trueto-life sound. Revolutionize every aspect of your incoach entertainment experience with Sony.



Driven By You

### FREIGHTLINER CUSTOM CHASSIS


Freightliner Custom Chassis are renowned for their exceptional ride, excellent maneuverability, advanced chassis technology, and nationwide 24/7 factorydirect support.



### SPARTAN MOTORS

Spartan Motors is an American company with over 30 years of experience designing and manufacturing the premier motorhome chassis, which provides superior performance, exceptional safety ratings, and industry-leading technology.





# OUR PEOPLE MAKE the DIFFERENCE

Newmar was founded in 1968 for one simple reason: to build a better RV.

Since then, we've focused our efforts and energy on creating residential-quality "homes on wheels," complete with handmade cabinetry and designer décors.

And every Newmar is handcrafted one at a time by men and women who have spent an average of eight years assembling them, resulting in superior-quality coaches that fully surpass their mass-produced competition.

Here, we don't just take the responsibility of designing, engineering, and constructing your motorhome seriously, we take it personally. Because in the end, our goal is not to win your trust, but earn it. Not once, but every single time you hit the road.

Join us, and discover the Newmar difference for yourself.

# WHEN YOU KNOW the DIFFERENCE



Newmar Corporation | 355 N Delaware St | PO Box 30 | Nappanee, IN 46550-0030 | 574-773-7791 | Fax 574-773-2895 NewmarCorp.com

