

Jayco | Redhawk SE & Redhawk Class C Motorhome

REDHAWK

COMFORT FOR THE ROAD AHEAD



2+3
YEAR | YEAR
WARRANTY

INTERIOR DESIGN



ASHVILLE



Wood



Floor



Countertop



Main Fabric




Furniture

22A, 22AF



22C, 22CF



27N, 27NF



EXTERIOR



Standard Graphics Package

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

One-piece, seamless, fiberglass front cap
 Heated holding tanks (12V pads)
 Electric patio awning
 Black holding tank sprayer
 Backup camera
 LED HD Smart TV

DRIVING

Chassis Equipment for 22A, 22C, 27N

- Chevy® 3500 chassis
- GVWR- 12,300 lb.
- GCWR- 20,000 lb.
- 6.6L Vortec V8 401 HP engine with 464 ft.-lb. torque
- Hydra-matic 6-speed automatic transmission with overdrive
- 220-amp alternator
- 5,000 lb. hitch with 500 lb. tongue capacity and 7-pin plug
- 32 gal. fuel tank

Chassis Equipment for 22AF, 22CF, 27NF

- Ford® E-450 chassis
- GVWR- 14,500 lb.
- GCWR- 22,000 lb.
- 7.3L V-8 325 HP engine with 450 ft.-lb. torque
- 6-speed TorqShift® series transmission with overdrive
- 210-amp alternator
- 7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug
- 55 gal. fuel tank
- Tire pressure monitoring system (TPMS)

Driving Equipment on All Floorplans

E-rated highway tires- LT225/75R16
 12V chassis battery
 Power anti-lock brakes with power steering
 Remote-controlled, side-view mirrors

Driver and passenger airbags
 Power windows and door locks
 Tilt steering wheel
 A/C and cruise control
 Auxiliary start switch
 Privacy curtains for cab area

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls
 Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)
 TPO laminated roof
 Aluminum running boards
 Fiberglass exterior walls with vinyl graphics
 Leveling jack prep
 Entrance door with industry's largest travel-view window
 Electric-powered entrance step with integrated house battery compartment
 12V house battery
 12.2 gal. propane tank (41 lb.)
 LP quick-connect hookup
 Exterior utility center
 Winterization drain system
 Outside shower
 12V demand water pump
 4,000W generator
 Transfer switch with reverse polarity protection
 30-amp electrical service
 Solar prep
 Third brake light
 Roof ladder
 4 in. bumper tube sewer hose storage

INTERIOR

84 in. ceiling height
 High-intensity, recessed LED ceiling lights
 Hardwood cabinet doors

Ball-bearing drawer guides
 Jayco-exclusive, easy-operation legless dinette table
 2-point lap safety belts in all designated seating locations
 Interior entrance door grab handle
 Interior command center
 Pleated blackout shades
 13,500 BTU ducted A/C
 30,000 BTU auto-ignition furnace
 6 gal. gas/electric DSI auto-ignition water heater
 Cable TV hookup with RG-6 coax
 Digital antenna with signal booster
 2-burner cooktop with flush cover
 Convection microwave oven
 Stainless steel kitchen sink
 Decorative kitchen backsplash
 Water filtration system
 Shower with decorative ABS surround and skylight
 Stainless steel bathroom sink
 Toilet with foot flush
 Queen-size bed with bedspread
 Under-bed storage (select models)
 Large wardrobes
 Overhead bunk with 750 lb. capacity
 Smoke alarm
 Carbon monoxide detector

OPTIONS


Automatic hydraulic leveling jacks
 200W solar panel with dual controller and second house battery

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
CHEVY 22A	12,300	20,000	159"	25' 2"	11' 6"	100"	84"	44	40	32
22C	12,300	20,000	159"	25' 2"	11' 6"	100"	84"	44	40	31
27N	12,300	20,000	191"	30' 3"	11' 6"	100"	84"	39	41	31
FORD 22AF	14,500	22,000	159"	25' 2"	11' 6"	100"	84"	44	40	32
22CF	14,500	22,000	159"	25' 2"	11' 6"	100"	84"	44	40	31
22NF	14,500	22,000	191"	30' 3"	11' 6"	100"	84"	39	41	31

24B OPTION: A



26M OPTION: A




26XD OPTION: A




29XK OPTION: A



31F OPTION: A



OPTIONS



EXTERIOR



Standard Graphics Package

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRIDE®: Computer-balanced driveshaft, standard front and rear stabilizer bars, Hellwig® helper springs, rubber isolation body mounts
 One-piece, seamless, fiberglass front cap
 Heated holding tanks (12V pads)
 Electric patio awning with LED lights
 Black holding tank sprayer
 Sony® infotainment center with Apple® CarPlay™ and Android Auto™
 Backup and side-view cameras
 LED HD Smart TV in living area

DRIVING

Ford® E-450 chassis
 GVWR- 14,500 lb.
 GCWR- 22,000 lb.
 7.3L V-8 325 HP engine with 450 ft.-lb. torque
 6-speed TorqShift® series transmission with overdrive
 210 amp alternator
 E-rated highway tires- LT225/75R16
 Tire pressure monitoring system (TPMS)
 Power anti-lock brakes with power steering
 7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug
 12V chassis battery
 55 gal. fuel tank
 Remote-controlled, side-view mirrors
 Swivel driver and passenger seats (N/A 26M, 29XK)
 Driver and passenger airbags
 Power windows and door locks
 Tilt steering wheel
 A/C and cruise control
 Auxiliary start switch
 Privacy curtains for cab area

EXTERIOR

StrongholdVBL™ roof, floor and sidewalls
 Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)
 TPO laminated roof
 Aluminum running boards
 Fiberglass exterior walls with vinyl graphics
 Leveling jack prep
 Frameless windows
 Remote keyless cab entry
 Entrance door with industry's largest travel-view window
 Electric-powered entrance step with integrated house battery compartment
 12V house battery
 (2) high-output, marine-grade exterior speakers
 Slideout awning(s)
 Pass-through storage compartment with light (select models)
 12.2 gal. propane tank (41 lb.)
 LP quick-connect hookup
 Exterior utility center
 Winterization drain system
 Outside shower
 12V demand water pump
 4,000W generator


Transfer switch with reverse polarity protection
 30 amp electrical service
 Solar prep
 Third brake light
 Roof ladder
 4 in. bumper tube sewer hose storage

INTERIOR

84 in. ceiling height
 High-intensity, recessed LED ceiling lights
 LED-lit slideout fascia
 Hardwood cabinet doors and drawers
 Ball-bearing drawer guides
 Jayco-exclusive, easy-operation legless dinette table
 2-point lap safety belts in all designated seating locations
 Interior entrance door grab handle
 Interior command center
 Pleated blackout shades
 15,000 BTU ducted A/C
 30,000 BTU auto-ignition furnace
 Electric fireplace (26M)
 6 gal. gas/electric DSI auto-ignition water heater
 Prep for satellite dish
 Cable TV hookup with RG-6 coax
 Digital antenna with signal booster
 Furrion® all-in-one cooktop and oven
 Residential-size microwave
 Stainless steel kitchen sink
 Decorative kitchen backsplash
 Pop-up charging station with 110V outlet and USB plugs
 LED-lit pressed countertops
 Water filtration system
 Shower with decorative ABS surround and skylight
 Stainless steel bathroom sink
 Toilet with foot flush
 Vent fan in bathroom
 Queen-size bed with bedspread (N/A 26M)
 Queen-size power Murphy Bed (26M)
 USB port and wireless charging in nightstands (26XD, 29XK, 31F)
 USB port in cabinet over bed (24B, 26M)
 Under-bed storage (select models)
 Large wardrobes
 Overhead bunk with 750 lb. capacity and safety net
 Bunks with industry-exclusive 300 lb. capacity each (31F)
 Smoke alarm
 Carbon monoxide detector


OPTIONS

Automatic hydraulic leveling jacks
 Theater seating ILO Dinette and additional TV in cab-over (24B, 26M)
 Theater seating ILO Sofa (26XD, 29XK, 31F)
 200W solar panel with dual controller and second house battery
 Dual A/C units with power management system (26M, 29XK, 31F)
 Folding windshield sun shade




COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels




STANDARD FRONT & REAR STABILIZER BARS

Reduces the body roll of a vehicle during fast cornering or over road irregularities



HELLWIG® HELPER SPRINGS

Work with the chassis' existing springs to give the RV more support, improving stability under heavy loads



RUBBER ISOLATION MOUNTS

Positioned near the tires to absorb road shock, dampen noise and minimize vibrations

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
24B	14,500	22,000	181"	26' 8"	11' 6"	100"	84"	43	40	31
26M	14,500	22,000	181"	28' 8"	11' 6"	100"	84"	44	41	32
26XD	14,500	22,000	181"	28' 8"	11' 6"	100"	84"	44	40	31
29XK	14,500	22,000	223"	32' 6"	11' 6"	100"	84"	44	41	32
31F	14,500	22,000	223"	32' 6"	11' 6"	100"	84"	47	41	31

INTERIOR DESIGN



BRIGHTON




Wood



Floor



Countertop




Main Fabric




Furniture

MODERN FARMHOUSE




Wood



Floor



Countertop



Main Fabric



Furniture

THE JAYCO DIFFERENCE



1. **One-piece seamless fiberglass front cap** for increased durability and protection
2. **750 lb. overhead bunk capacity** offers nearly 250 lbs. more than the industry average for greater safety and peace of mind
3. **Integrated electric step** maximizes ground clearance and floor space
4. **Integrated third brake light** improves safety on the road
5. **Seatbelts in every designated seating position** secure the most precious cargo
6. **Frameless windows** make exterior maintenance easier than ever and give the unit a sleek, modern look (N/A on Redhawk SE)
7. **Stronghold VBL™** vacuum-bonded, laminated floor, sidewalls and roof

2+3
YEAR | YEAR
LIMITED | STRUCTURAL
WARRANTY

TRAVEL WITH CONFIDENCE • NO ONE OFFERS A BETTER WARRANTY

At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings that we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Jayco dealer.

Meet your Jayco Dealer

**LA MESA REC
VAN**

LaMesaRV.com
800-496-8778



Scan QR
code for
specification
definitions

Some specs at the time of print may include estimates.
For the most updated information, please visit
Jayco.com/redhawk-se or Jayco.com/redhawk

Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 3/23 ©2023 Jayco, Inc. 257066



Jayco - Part of the Jayco Family of Companies