













EXTERIOR



Silver Van



Sandstone Van



Blue-Grey Van



Optional Aztec Partial Paint (Silver Van Only)



Optional Forest Glade Partial Paint (Sandstone Van Only)



Optional Mystic Tide Partial Paint (Blue-Grey Van Only)

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRide®: Koni® shocks, heavy-duty rear stabilizer bar Carefree® armless patio awning with LED light strip and wind sensor

Double roof rack and moveable roof ladder Front and rear wind deflectors with front LED light bar Timberline hydronic heating system with LED touchscreen control

13,500 BTU 48V Coleman®-Mach® 10 air conditioner Black aluminum wheels with BFGoodrich® All-Terrain T/A® KO2® tires

Starlink satellite internet system

DRIVING EQUIPMENT

Mercedes-Benz® Sprinter 2500 AWD van with 144 in. wheelbase

GVWR-9,050 lb. GCWR-13,930 lb.

2.0L 4-cylinder diesel engine with 211HP and 332 ft.-lb. torque

9-speed automatic transmission

250-amp alternator

5,000 lb. rear hitch receiver with 7 pin connector

12V chassis battery

24.5 gal. fuel tank (diesel)

5.8 gal DEF Tank

10.25 in. integrated Mercedes-Benz® MBUX infotainment center with GPS, Apple® CarPlay™ and Android Auto™

Power folding/heated side-view mirrors Heated power swivel driver/passenger seats Leather-wrapped tilt steering wheel with integrated

Smartphone tray with wireless charging Parking package with 360° camera

Backup camera

Active Distance Assist DISTRONIC®

Active lane keeping assist

Crosswind assist

Hill start assist

Brake assist plus

Traffic sign assist

Attention assist

Breakdown management Emergency call system

Driver and passenger airbags

Tire pressure monitoring system (TPMS)

Rain-sensing windshield wipers

Headlight assistant

LED high performance headlights

Third brake light

Power windows and door locks

Privacy shades for cab windows

Remote keyless entry

EXTERIOR

LED-lit running boards for cab and entry doors

Fold-down exterior table

Daytime running headlamps

48V-210 amp hour smart lithium battery providing 10KW hours of power

Prepped for auto engine start with high idle 3,500W inverter

2nd 48V alternator dedicated to lithium battery

House battery disconnect switch

200W of roof-mounted solar panels Slow charge solar panel for chassis battery

Portable solar plug

30-amp electrical service with detachable power cord

120V exterior outlet

Heated grey tank (12V pad) with skid plate

Interior-mounted fresh water tank

LED-lit holding tank valves

Utility center with water controls and outside hose

City water connection

Winterization drain system

12V demand water pump

Water filtration system

INTERIOR

Custom-molded ABS interior wall panels

Soft-touch vinyl ceiling

High-intensity LED ceiling lights

Tecnoform® European-style, cabinetry

Durable rubber flooring

Firefly total coach control system with

wall-mounted touchscreen and mobile app

MaxxAir Deluxe roof vent

120V/USB outlets throughout

Side screen door with magnetic and zipper close offs Removable privacy shade for sliding door window Rear screen door with roll-up and black out capabilities Rear dual-pane acrylic window with cassette shades

(2) sliding vented windows

(2) additional cab bucket seats with slide and recline features

Removable/adjustable table

JBL® Flip 5 removable wireless Bluetooth speaker Tecnoform® pull-out kitchen countertop extension

3 cu.ft. DC refrigerator

Portable induction cooktop

Stainless-steel sink

Drop-down overhead bed with 750 lb. capacity

Fiberglass side pods create larger sleeping surface Rear garage under bed with L-track mounts for

securing cargo

(2) recessed under-bed storage bags

All-in-one wet bath with shower and cassette toilet Aqua View® SHOWERMI\$ER™ water management

system

Removable bamboo shelf in wet bath

Retractable clothes line in shower

Powered roof vent in bathroom

Seatbelts in all seating locations

Smoke alarm

Carbon monoxide detector

Fire extinguisher



HEAVY-DUTY REAR STABILIZER BAR

A large bar and polyurethane bushings, instead of rubber, transfer power faster for extra support, more stability and easier handling



KONI SHOCK ABSORBERS

Large-diameter tube design pairs gas and hydraulics to resist heat and pressure while independently adjusting to changing road conditions

FLOORPL	AN GVWR (lbs.)	GCWR (lbs.)	FRONT GAWR (lbs.)	REAR GAWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
19Y	9,050	13,930	4,410	5,360	144"	19′ 7″	10′ 1″	7′ 1″	6′ 1″	21	21	4.75

Meet your Jayco Dealer





Scan QR code for



Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com

Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 10/23 ©2023 Jayco, Inc.

Jayco - Part of the Jayco Family of Companies